

SEQUENCE LISTING

RECEIVED

MAR 15 2001

TECH CENTER 1600/2900

<110> Parham, Christopher L.
Moore, Kevin W.
Murgolo, Nicholas J.
Bazan, J. Fernando

<120> Human Receptor Proteins; Related Reagents and Methods

<130> DX0804K

<140> 09/265,540

<141> 1999-03-08

<160> 6

<170> PatentIn Ver. 2.0

<210> 1

<211> 1381

<212> DNA

<213> primate

<220>

<221> CDS

<222> (132)..(1064)

<220>

<221> unsure

<222> (567)

<223> n at position 567; n may be A, C, G, or T;
translated amino acid depends on genetic code

<220>

<221> unsure

<222> (573)

<223> n at position 573; n may be A, C, G, or T;
translated amino acid depends on genetic code

<220>

<221> unsure

<222> (1336)

<223> n at position 1336; n may be A, C, G, or T;
translated amino acid depends on genetic code

<220>

<221> unsure

<222> (1342)

<223> n at position 1342; n may be A, C, G, or T;
translated amino acid depends on genetic code

<220>

<221> unsure

<222> (1369)

<223> n at position 1369; n may be A, C, G, or T;
translated amino acid depends on genetic code

<400> 1

tcgacccacg cgtccgcgct gcgactcaga cctcagctcc aacatatgca ttctgaagaa 60

agatggctga gatggacaga atgctttatt ttggaaagaa acaatgttct aggtcaaact 120

gagtctacca a atg cag act ttc aca atg gtt cta gaa gaa atc tgg aca 170

Met Gln Thr Phe Thr Met Val Leu Glu Glu Ile Trp Thr
1 5 10

agt ctt ttc atg tgg ttt ttc tac gca ttg att cca tgt ttg ctc aca 218

Ser Leu Phe Met Trp Phe Phe Tyr Ala Leu Ile Pro Cys Leu Leu Thr
15 20 25

gat gaa gtg gcc att ctg cct gcc cct cag aac ctc tct gta ctc tca 266

Asp Glu Val Ala Ile Leu Pro Ala Pro Gln Asn Leu Ser Val Leu Ser
30 35 40 45

acc aac atg aag cat ctc ttg atg tgg agc cca gtg atc gcg cct gga 314

Thr Asn Met Lys His Leu Leu Met Trp Ser Pro Val Ile Ala Pro Gly
50 55 60

gaa aca gtg tac tat tct gtc gaa tac cag ggg gag tac gag agc ctg 362

Glu Thr Val Tyr Tyr Ser Val Glu Tyr Gln Gly Glu Tyr Glu Ser Leu
65 70 75

tac acg agc cac atc tgg atc ccc agc agc tgg tgc tca ctc act gaa 410

Tyr Thr Ser His Ile Trp Ile Pro Ser Ser Trp Cys Ser Leu Thr Glu
80 85 90

ggc cct gag tgt gat gtc act gat gac atc acg gcc act gtg cca tac 458

Gly Pro Glu Cys Asp Val Thr Asp Asp Ile Thr Ala Thr Val Pro Tyr
95 100 105

aac ctt cgt gtc agg gcc aca ttg ggc tca cag acc tca gcc tgg agc 506

Asn Leu Arg Val Arg Ala Thr Leu Gly Ser Gln Thr Ser Ala Trp Ser
110 115 120 125

atc ctg aag cat ccc ttt aat aga aac tca acc atc ctt acc cga cct 554
 Ile Leu Lys His Pro Phe Asn Arg Asn Ser Thr Ile Leu Thr Arg Pro
 130 135 140
 ggg atg gag atc ncc aaa nat ggc ttc cac ctg gtt att gag ctg gag 602
 Gly Met Glu Ile Xaa Lys Xaa Gly Phe His Leu Val Ile Glu Leu Glu
 145 150 155
 gac ctg ggg ccc cag ttt gag ttc ctt gtg gcc tac tgg asg agg gag 650
 Asp Leu Gly Pro Gln Phe Glu Phe Leu Val Ala Tyr Trp Xaa Arg Glu
 160 165 170
 cct ggt gcc gag gaa cat gtc aaa atg gtg agg agt ggg ggt att cca 698
 Pro Gly Ala Glu Glu His Val Lys Met Val Arg Ser Gly Gly Ile Pro
 175 180 185
 gtg cac cta gaa acc atg gag cca ggg gct gca tac tgt gtg aag gcc 746
 Val His Leu Glu Thr Met Glu Pro Gly Ala Ala Tyr Cys Val Lys Ala
 190 195 200 205
 cag aca ttc gtg aag gcc att ggg arg tac agc gcc ttc agc cag aca 794
 Gln Thr Phe Val Lys Ala Ile Gly Xaa Tyr Ser Ala Phe Ser Gln Thr
 210 215 220
 gaa tgt gtg gar gtg caa gga gag gcc att ccc ctg gta ctg gcc ctg 842
 Glu Cys Val Xaa Val Gln Gly Glu Ala Ile Pro Leu Val Leu Ala Leu
 225 230 235
 ttt gcc ttt gtt ggc ttc atg ctg atc ctt gtg gtc gtg cca ctg ttc 890
 Phe Ala Phe Val Gly Phe Met Leu Ile Leu Val Val Val Pro Leu Phe
 240 245 250
 gtc tgg aaa atg ggc cgg ctg ctc cag tac tcc tgt tgc ccc gtg gtg 938
 Val Trp Lys Met Gly Arg Leu Leu Gln Tyr Ser Cys Cys Pro Val Val
 255 260 265
 gtc ctc cca gac acc ttg aaa ata acc aat tca ccc cag aag tta atc 986
 Val Leu Pro Asp Thr Leu Lys Ile Thr Asn Ser Pro Gln Lys Leu Ile
 270 275 280 285
 agc tgc aga agg gag gag gtg gat gcc tgt gcc acg gct gtg atg tct 1034

Val Arg Ala Thr Leu Gly Ser Gln Thr Ser Ala Trp Ser Ile Leu Lys
 115 120 125
 His Pro Phe Asn Arg Asn Ser Thr Ile Leu Thr Arg Pro Gly Met Glu
 130 135 140
 Ile Xaa Lys Xaa Gly Phe His Leu Val Ile Glu Leu Glu Asp Leu Gly
 145 150 155 160
 Pro Gln Phe Glu Phe Leu Val Ala Tyr Trp Xaa Arg Glu Pro Gly Ala
 165 170 175
 Glu Glu His Val Lys Met Val Arg Ser Gly Gly Ile Pro Val His Leu
 180 185 190
 Glu Thr Met Glu Pro Gly Ala Ala Tyr Cys Val Lys Ala Gln Thr Phe
 195 200 205
 Val Lys Ala Ile Gly Xaa Tyr Ser Ala Phe Ser Gln Thr Glu Cys Val
 210 215 220
 Xaa Val Gln Gly Glu Ala Ile Pro Leu Val Leu Ala Leu Phe Ala Phe
 225 230 235 240
 Val Gly Phe Met Leu Ile Leu Val Val Val Pro Leu Phe Val Trp Lys
 245 250 255
 Met Gly Arg Leu Leu Gln Tyr Ser Cys Cys Pro Val Val Val Leu Pro
 260 265 270
 Asp Thr Leu Lys Ile Thr Asn Ser Pro Gln Lys Leu Ile Ser Cys Arg
 275 280 285
 Arg Glu Glu Val Asp Ala Cys Ala Thr Ala Val Met Ser Pro Glu Glu
 290 295 300
 Leu Leu Arg Ala Trp Ile Ser
 305 310

<210> 3
 <211> 1244
 <212> DNA
 <213> primate

<220>
 <221> CDS
 <222> (2)..(694)

<220>
 <221> unsure
 <222> (193)

<400> 3

c cgg gtc gac cca cgc gtc cgc ctg gtt tcc ccc tgg ctg aca gtg cct 49

Arg	Val	Asp	Pro	Arg	Val	Arg	Leu	Val	Ser	Pro	Trp	Leu	Thr	Val	Pro
1				5					10					15	

tgg ttc ctg tcc tgt tgg aat gtt acc att ggg cct cct gag agc atc 97

Trp	Phe	Leu	Ser	Cys	Trp	Asn	Val	Thr	Ile	Gly	Pro	Pro	Glu	Ser	Ile
			20					25					30		

tgg gtg acg ccg gga gaa gcc tcc ctc atc atc agg ttc tcc tct ccc 145

Trp	Val	Thr	Pro	Gly	Glu	Ala	Ser	Leu	Ile	Ile	Arg	Phe	Ser	Ser	Pro
		35					40					45			

ttc gac gtc cct ccc aac ctg ggc tat ttc cag tac tat gtc cat tay 193

Phe	Asp	Val	Pro	Pro	Asn	Leu	Gly	Tyr	Phe	Gln	Tyr	Tyr	Val	His	Xaa
50						55					60				

tgg gaa aag gcg gga atc caa aag gtt aaa ggt cct ttc aag agc aac 241

Trp	Glu	Lys	Ala	Gly	Ile	Gln	Lys	Val	Lys	Gly	Pro	Phe	Lys	Ser	Asn
65					70					75					80

tcc atc gtg ttg gat ggc ttg aga ccc tta aga gaa tac tgt tta caa 289

Ser	Ile	Val	Leu	Asp	Gly	Leu	Arg	Pro	Leu	Arg	Glu	Tyr	Cys	Leu	Gln
				85					90					95	

gtg aag gcg cat ctc ttt cgc aca tcc tgc aac acc tct agg ccc ggc 337

Val	Lys	Ala	His	Leu	Phe	Arg	Thr	Ser	Cys	Asn	Thr	Ser	Arg	Pro	Gly
			100					105					110		

cgc tta agc aac ata act tgc tac gaa aca atg atg gat gcc act acg 385

Arg	Leu	Ser	Asn	Ile	Thr	Cys	Tyr	Glu	Thr	Met	Met	Asp	Ala	Thr	Thr
		115					120					125			

aag ctt caa caa gtc atc ctc atc gcc gtg gga gtc ttt ctg tcg ctg 433

Lys	Leu	Gln	Gln	Val	Ile	Leu	Ile	Ala	Val	Gly	Val	Phe	Leu	Ser	Leu
130						135					140				

gcg gcg ctg gcg ggg ggc tgt ttc ttc ctg gtg ctg aga tac aaa ggc 481

Ala	Ala	Leu	Ala	Gly	Gly	Cys	Phe	Phe	Leu	Val	Leu	Arg	Tyr	Lys	Gly
145					150					155					160

ctg gtg aaa tac tgg ttt cac tct ccg cca agc atc cca tca caa atc 529
 Leu Val Lys Tyr Trp Phe His Ser Pro Pro Ser Ile Pro Ser Gln Ile
 165 170 175
 gaa gag tat ctg aag gac ccg agc cag cct atc cta gag gcc ctg gac 577
 Glu Glu Tyr Leu Lys Asp Pro Ser Gln Pro Ile Leu Glu Ala Leu Asp
 180 185 190
 aag gac acg tca cca aca gat gat gcc tgg gac ttg gtg tct gtt gtt 625
 Lys Asp Thr Ser Pro Thr Asp Asp Ala Trp Asp Leu Val Ser Val Val
 195 200 205
 gca ttt cca gca aag gag caa gaa gat gtt ccc caa agc act ttg acc 673
 Ala Phe Pro Ala Lys Glu Gln Glu Asp Val Pro Gln Ser Thr Leu Thr
 210 215 220
 caa aac tct ggt gcg gtc tgc tagcctgtgg ggtaagggct ctgagccgag 724
 Gln Asn Ser Gly Ala Val Cys
 225 230
 gaagctgctg atgtccatgt cagcacttta tggaatccgg tcttccattt tctgtcccc 784
 aaaaggcccg tcagtgcctg tgaagatgta acgggtctca tgggggacgac aagcttattg 844
 atttttttct tcaaactaag agttttctaa tcatacgcggt ttttagaata attctacaga 904
 tatgtccccg aaagattaag atttctctta aacactaaaa agacatgtaa ttatttggtta 964
 gcaaattgggc gtctggcacg cctctgacac tttttcgtca gcagccaggga cacgaggtcc 1024
 cctccttgat gaagcccctc gggcagacca tgtcacctgt ccagcctgc cccaagaagg 1084
 gacattaagt ggcccttctt catatccaaa cacctggctt gaaatgtgat tagccctgta 1144
 aatagtttca cagagattaa gccttttttt cccccaagtt aggaataaaa gactataatt 1204
 aactttttta aaaaaaaaaa aaaaaaaaaa aaaaa'aaaaa 1244

<210> 4
 <211> 231
 <212> PRT
 <213> primate

<400> 4

Arg	Val	Asp	Pro	Arg	Val	Arg	Leu	Val	Ser	Pro	Trp	Leu	Thr	Val	Pro
1				5					10					15	
Trp	Phe	Leu	Ser	Cys	Trp	Asn	Val	Thr	Ile	Gly	Pro	Pro	Glu	Ser	Ile
			20					25					30		
Trp	Val	Thr	Pro	Gly	Glu	Ala	Ser	Leu	Ile	Ile	Arg	Phe	Ser	Ser	Pro
		35					40					45			
Phe	Asp	Val	Pro	Pro	Asn	Leu	Gly	Tyr	Phe	Gln	Tyr	Tyr	Val	His	Xaa
	50					55					60				
Trp	Glu	Lys	Ala	Gly	Ile	Gln	Lys	Val	Lys	Gly	Pro	Phe	Lys	Ser	Asn
65					70					75					80
Ser	Ile	Val	Leu	Asp	Gly	Leu	Arg	Pro	Leu	Arg	Glu	Tyr	Cys	Leu	Gln
				85					90					95	
Val	Lys	Ala	His	Leu	Phe	Arg	Thr	Ser	Cys	Asn	Thr	Ser	Arg	Pro	Gly
			100					105					110		
Arg	Leu	Ser	Asn	Ile	Thr	Cys	Tyr	Glu	Thr	Met	Met	Asp	Ala	Thr	Thr
		115					120					125			
Lys	Leu	Gln	Gln	Val	Ile	Leu	Ile	Ala	Val	Gly	Val	Phe	Leu	Ser	Leu
	130					135					140				
Ala	Ala	Leu	Ala	Gly	Gly	Cys	Phe	Phe	Leu	Val	Leu	Arg	Tyr	Lys	Gly
145					150					155					160
Leu	Val	Lys	Tyr	Trp	Phe	His	Ser	Pro	Pro	Ser	Ile	Pro	Ser	Gln	Ile
				165					170					175	
Glu	Glu	Tyr	Leu	Lys	Asp	Pro	Ser	Gln	Pro	Ile	Leu	Glu	Ala	Leu	Asp
			180					185					190		
Lys	Asp	Thr	Ser	Pro	Thr	Asp	Asp	Ala	Trp	Asp	Leu	Val	Ser	Val	Val
		195					200					205			
Ala	Phe	Pro	Ala	Lys	Glu	Gln	Glu	Asp	Val	Pro	Gln	Ser	Thr	Leu	Thr
	210					215					220				
Gln	Asn	Ser	Gly	Ala	Val	Cys									
225					230										

31
 cont.

<210> 5
 <211> 337
 <212> PRT
 <213> primate

<400> 5

Met Arg Pro Thr Leu Leu Trp Ser Leu Leu Leu Leu Gly Val Phe
 1 5 10 15

Ala Ala Ala Ala Ala Pro Pro Asp Pro Leu Ser Gln Leu Pro Ala
 20 25 30

Pro Gln His Pro Lys Ile Arg Leu Tyr Asn Ala Glu Gln Val Leu Ser
 35 40 45

Trp Glu Pro Val Ala Leu Ser Asn Ser Thr Arg Pro Val Val Tyr Arg
 50 55 60

Val Gln Phe Lys Tyr Thr Asp Ser Lys Trp Phe Thr Ala Asp Ile Met
 65 70 75 80

Ser Ile Gly Val Asn Cys Thr Gln Ile Thr Ala Thr Glu Cys Asp Phe
 85 90 95

Thr Ala Ala Ser Pro Ser Ala Gly Phe Pro Met Asp Phe Asn Val Thr
 100 105 110

Leu Arg Leu Arg Ala Glu Leu Gly Ala Leu His Ser Ala Trp Val Thr
 115 120 125

Met Pro Trp Phe Gln His Tyr Arg Asn Val Thr Val Gly Pro Pro Glu
 130 135 140

Asn Ile Glu Val Thr Pro Gly Glu Gly Ser Leu Ile Ile Arg Phe Ser
 145 150 155 160

Ser Pro Phe Asp Ile Ala Asp Thr Ser Thr Ala Phe Phe Cys Tyr Tyr
 165 170 175

Val His Tyr Trp Glu Lys Gly Gly Ile Gln Gln Val Lys Gly Pro Phe
 180 185 190

Arg Ser Asn Ser Ile Ser Leu Asp Asn Leu Lys Pro Ser Arg Val Tyr
 195 200 205

Cys Leu Gln Val Gln Ala Gln Leu Leu Trp Asn Lys Ser Asn Ile Phe
 210 215 220

Arg Val Gly His Leu Ser Asn Ile Ser Cys Tyr Glu Thr Met Ala Asp
 225 230 235 240

Ala Ser Thr Glu Leu Gln Gln Val Ile Leu Ile Ser Val Gly Thr Phe
 245 250 255

Ser Leu Leu Ser Val Leu Ala Gly Ala Cys Phe Phe Leu Val Leu Lys
 260 265 270

Tyr Arg Gly Leu Ile Lys Tyr Trp Phe His Thr Pro Pro Ser Ile Pro
 275 280 285

Leu Gln Ile Glu Glu Tyr Leu Lys Asp Pro Thr Gln Pro Ile Leu Glu
 290 295 300

Ala Leu Asp Lys Asp Ser Ser Pro Lys Asp Asp Val Trp Asp Ser Val
 305 310 315 320

Ser Ile Ile Ser Phe Pro Glu Lys Glu Gln Glu Asp Val Leu Gln Thr
 325 330 335

Leu

<210> 6
 <211> 325
 <212> PRT
 <213> primate

<400> 6

Met Ala Trp Ser Leu Gly Ser Trp Leu Gly Gly Cys Leu Leu Val Ser
 1 5 10 15

Ala Leu Gly Met Val Pro Pro Pro Glu Asn Val Arg Met Asn Ser Val
 20 25 30

Asn Phe Lys Asn Ile Leu Gln Trp Glu Ser Pro Ala Phe Ala Lys Gly
 35 40 45

Asn Leu Thr Phe Thr Ala Gln Tyr Leu Ser Tyr Arg Ile Phe Gln Asp
 50 55 60

Lys Cys Met Asn Thr Thr Leu Thr Glu Cys Asp Phe Ser Ser Leu Ser
 65 70 75 80

Lys Tyr Gly Asp His Thr Leu Arg Val Arg Ala Glu Phe Ala Asp Glu
 85 90 95

His Ser Asp Trp Val Asn Ile Thr Phe Cys Pro Val Asp Asp Thr Ile
 100 105 110

Ile Gly Pro Pro Gly Met Gln Val Glu Val Leu Ala Asp Ser Leu His
 115 120 125



Met Arg Phe Leu Ala Pro Lys Ile Glu Asn Glu Tyr Glu Thr Trp Thr
 130 135 140
 Met Lys Asn Val Tyr Asn Ser Trp Thr Tyr Asn Val Gln Tyr Trp Lys
 145 150 155 160
 Asn Gly Thr Asp Glu Lys Phe Gln Ile Thr Pro Gln Tyr Asp Phe Glu
 165 170 175
 Val Leu Arg Asn Leu Glu Pro Trp Thr Thr Tyr Cys Val Gln Val Arg
 180 185 190
 Gly Phe Leu Pro Asp Arg Asn Lys Ala Gly Glu Trp Ser Glu Pro Val
 195 200 205
 Cys Glu Gln Thr Thr His Asp Glu Thr Val Pro Ser Trp Met Val Ala
 210 215 220
 Val Ile Leu Met Ala Ser Val Phe Met Val Cys Leu Ala Leu Leu Gly
 225 230 235 240
 Cys Phe Ser Leu Leu Trp Cys Val Tyr Lys Lys Thr Lys Tyr Ala Phe
 245 250 255
 Ser Pro Arg Asn Ser Leu Pro Gln His Leu Lys Glu Phe Leu Gly His
 260 265 270
 Pro His His Asn Thr Leu Leu Phe Phe Ser Phe Pro Leu Ser Asp Glu
 275 280 285
 Asn Asp Val Phe Asp Lys Leu Ser Val Ile Ala Glu Asp Ser Glu Ser
 290 295 300
 Gly Lys Gln Asn Pro Gly Asp Ser Cys Ser Leu Gly Thr Pro Pro Gly
 305 310 315 320
 Gln Gly Pro Gln Ser
 325

FILE COPY

BIOTECHNOLOGY
SYSTEMS
BRANCH

4116
DT
01-11-01

**RAW SEQUENCE LISTING
ERROR REPORT**



RECEIVED

JAN 10 2001

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 09/265,540C

Source: 1643

Date Processed by STIC: 1/2/2001

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.

PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION QUESTIONS, PLEASE CONTACT MARK SPENCER, 703-308-4212.

FOR SEQUENCE RULES INTERPRETATION, PLEASE CONTACT ROBERT WAX, 703-308-4216.

PATENTIN 2.1 e-mail help: patin21help@uspto.gov or phone 703-306-4119 (R. Wax)

PATENTIN 3.0 e-mail help: patin30help@uspto.gov or phone 703-306-4119 (R. Wax)

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER VERSION 3.0 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW:

Checker Version 3.0

The Checker Version 3.0 application is a state-of-the-art Windows based software program employing a logical and intuitive user-interface to check whether a sequence listing is in compliance with format and content rules. Checker Version 3.0 works for sequence listings generated for the original version of 37 CFR §§1.821 - 1.825 effective October 1, 1990 (old rules) and the revised version (new rules) effective July 1, 1998 as well as World Intellectual Property Organization (WIPO) Standard ST.25.

Checker Version 3.0 replaces the previous DOS-based version of Checker, and is Y2K-compliant. Checker allows public users to check sequence listings in Computer Readable form (CRF) before submitting them to the United States Patent and Trademark Office (USPTO). Use of Checker prior to filing the sequence listing is expected to result in fewer errored sequence listings, thus saving time and money.

Checker Version 3.0 can be down loaded from the USPTO website at the following address:

<http://www.uspto.gov/web/offices/pac/checker>

Raw Sequence Listing Error Summary

ERROR DETECTED SUGGESTED CORRECTION

SERIAL NUMBER: 09/265,540C

ATTN: NEW RULES CASES: PLEASE DISREGARD ENGLISH "ALPHA" HEADERS, WHICH WERE INSERTED BY PTO SOFTWARE

- 1 Wrapped Nucleics The number/text at the end of each line "wrapped" down to the next line.
This may occur if your file was retrieved in a word processor after creating it.
Please adjust your right margin to .3, as this will prevent "wrapping".
- 2 Wrapped Aminos The amino acid number/text at the end of each line "wrapped" down to the next line.
This may occur if your file was retrieved in a word processor after creating it.
Please adjust your right margin to .3, as this will prevent "wrapping".
- 3 Incorrect Line Length The rules require that a line not exceed 72 characters in length. This includes spaces.
- 4 Misaligned Amino Acid Numbering The numbering under each 5th amino acid is misaligned. This may be caused by the use of tabs between the numbering. It is recommended to delete any tabs and use spacing between the numbers.
- 5 Non-ASCII This file was not saved in ASCII (DOS) text, as required by the Sequence Rules.
Please ensure your subsequent submission is saved in ASCII text so that it can be processed.
- 6 Variable Length Sequence(s) contain n's or Xaa's which represented more than one residue.
As per the rules, each n or Xaa can only represent a single residue.
Please present the maximum number of each residue having variable length and indicate in the (ix) feature section that some may be missing.
- 7 PatentIn ver. 2.0 "bug" A "bug" in PatentIn version 2.0 has caused the <220>-<223> section to be missing from amino acid sequence(s) . Normally, PatentIn would automatically generate this section from the previously coded nucleic acid sequence. Please manually copy the relevant <220>-<223> section to the subsequent amino acid sequence. This applies primarily to the mandatory <220>-<223> sections for Artificial or Unknown sequences.
- 8 Skipped Sequences (OLD RULES) Sequence(s) missing. If intentional, please use the following format for each skipped sequence:
(2) INFORMATION FOR SEQ ID NO:X:
(i) SEQUENCE CHARACTERISTICS:(Do not insert any headings under "SEQUENCE CHARACTERISTICS")
(xi) SEQUENCE DESCRIPTION:SEQ ID NO:X:
This sequence is intentionally skipped

Please also adjust the "(III) NUMBER OF SEQUENCES:" response to include the skipped sequence(s).
- 9 Skipped Sequences (NEW RULES) Sequence(s) missing. If intentional, please use the following format for each skipped sequence.
<210> sequence id number
<400> sequence id number
000
- 10 Use of n's or Xaa's (NEW RULES) Use of n's and/or Xaa's have been detected in the Sequence Listing.
Use of <220> to <223> is MANDATORY if n's or Xaa's are present.
In <220> to <223> section, please explain location of n or Xaa, and which residue n or Xaa represents.
- 11 Use of <213>Organism (NEW RULES) Sequence(s) are missing this mandatory field or its response.
- 12 Use of <220>Feature (NEW RULES) Sequence(s) are missing the <220>Feature and associated headings.
Use of <220> to <223> is MANDATORY if <213>ORGANISM is "Artificial" or "Unknown"
Please explain source of genetic material in <220> to <223> section.
(See "Federal Register," 6/01/98, Vol. 63, No. 104, pp. 29631-32) (Sec. 1.823 of new Rules)
- 13 PatentIn ver. 2.0 "bug" Please do not use "Copy to Disk" function of PatentIn version 2.0. This causes a corrupted file, resulting in missing mandatory numeric identifiers and responses (as indicated on raw sequence listing).
Instead, please use "File Manager" or any other means to copy file to floppy disk.

RECEIVED

JAN 10 1999

TECH CENTER

RECEIVED

1643

JAN 10 2001

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/265,540C

DATE : 01/01/2001

7141 : 12:43:41

TECH CENTER 1 800 429 00

Input Size : A:\804k.app

Output Set: N:\CRF3\01022001\I267140C.rnw

Does Not Comply
Corrected Diskette Needed

```

1 <110> APPLICANT: Payham, Chrissel L.
2   Moore, Kevin W
3   Burgalo, Nicholas J.
4   Talia, J. Fernando
5 <120> TITLE OF INVENTION: Human Receptor Proteins; Related Reagents and Methods
6 <130> FILE REFERENCE: DX0901K
7 <110> CURRENT FILING APPLICATION NUMBER: 09/205,540C
8 <111> CURRENT FILING DATE: 1999-03-08
9 <160> NUMBER OF SEQ ID NOS 6
10 <170> SOFTWARE: Patent In Vcc. 2.0
11 <210> SEQ ID NO: 1
12 <211> LENGTH: 1381
13 <212> TYPE: DNA
14 <213> ORGANISM: primate
15 <220> FEATURE:
16 <221> NAME/KEY: CDS
17 <222> LOCATION: (132)..(1061)
18 <223> OTHER INFORMATION: n at position 132; n may be A, C, G, or T;
19 Translated amino acid depends on genetic code
20 <220> FEATURE:
21 <221> NAME/KEY: misc_feature
22 <222> LOCATION: (567)
23 <223> OTHER INFORMATION: n at position 567; n may be A, C, G, or T;
24 Translated amino acid depends on genetic code
25 <220> FEATURE:
26 <221> NAME/KEY: misc_feature
27 <222> LOCATION: (573)
28 <223> OTHER INFORMATION: n at position 573; n may be A, C, G, or T;
29 Translated amino acid depends on genetic code
30 <220> FEATURE:
31 <221> NAME/KEY: misc_feature
32 <222> LOCATION: (1136)
33 <223> OTHER INFORMATION: n at position 1136; n may be A, C, G, or T;
34 Translated amino acid depends on genetic code
35 <220> FEATURE:
36 <221> NAME/KEY: misc_feature
37 <222> LOCATION: (1142)
38 <223> OTHER INFORMATION: n at position 1142; n may be A, C, G, or T;
39 Translated amino acid depends on genetic code
40 <220> FEATURE:
41 <221> NAME/KEY: misc_feature
42 <222> LOCATION: (1169)
43 <223> OTHER INFORMATION: n at position 1169; n may be A, C, G, or T;
44 Translated amino acid depends on genetic code
45 <400> SEQUENCE: 1
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64

```

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/265,540C

DATE: 01/02/2001

TIME: 12:53:11

Input Set : A:\804k.app

Output Set : N:\Crf3\01022001\1265540C.raw

65 1 5 10
67 aql ccl lle alq lqg lll lll lll gca lly all ccl lql lly ccl aca 218
68 Ser leu phe met trp phe phe tyr ala leu lle pro cys leu leu thr
69 15 20 25
71 gcl qia qly qcc att alq ccl qcc ccl cag aca ccl ccl gla ccl lea 266
72 Asp glu val ala lle leu pro ala pro ala asp leu ser val leu ser
73 30 35 40 45
75 aca aca arg aca ccl ccl lly alq lly aca cca gty ala qcc ccl qca 311
76 thr asp met lys his leu leu met trp ser pro val lle ala pro gly
77 50 55 60
79 gaa aca qly lac lac lac gca qia lac cag qcc qcc lac qcc aca qly 367
80 glu thr val tyr tyr ser val glu tyr glu ccl glu tyr glu ser leu
81 65 70 75
83 lac aca qly ccc att lly ala ccc aca aca lly lly leu ala aca qca 419
84 thr thr ser his lle trp lle pro ser ser trp cys ser leu thr glu
85 80 85 90
87 aql ccl qly lly qcc att aca qcc qcc qcc ala aca qcc aca gty aca lac 465
88 gly pro glu cys asp val thr asp asp lle thr ala thr val pro tyr
89 95 100 105
91 aca ccl ccl qly aca aca lly qcc lea aca aca lea qcc lly aca 500
92 asp leu ala val arg ala thr leu gly ser glu thr ser ala trp ser
93 110 115 120 125
95 aca ccl aca ccl ccc lle aca aca aca lea aca aca ccl aca aca ccl 553
96 lle leu cys his pro phe asp arg asp ser thr lle leu thr ala pro
97 130 135 140
99 ggg atg gag atc aca aca aca ggc ctc ccc cly glu att gag cty gag 602
100 gly met glu ile (Xaa) lys (Xaa) gly phe his leu val ile glu leu glu
101 145 150 155
103 aca cly qly qcc ccc cag lly qly lly ccl gty qcc lac cag aca qly qly 650
104 asp leu gly pro glu phe glu phe leu val ala tyr trp xaa arg glu
105 160 165 170
107 ccl qcc qcc qcc qcc ccc qcc aca aca qcc aca qcc qcc att aca 698
108 pro gly ala glu glu ala val lys met val arg ser gly gly lle pro
109 175 180 185
111 gty ccc cca qaa aca atg qaa ccc qcc qcc qcc lac lly qly aca qcc 746
112 val his leu glu thr met glu pro gly ala ala thr cys val lys ala
113 190 195 200 205
115 aca aca lle qly aca qcc att qcc arg lly aca qcc ccc aca aca aca 791
116 glu thr phe val lys ala lle gly xaa tyr ser ala phe ser glu thr
117 210 215 220
119 gaa lac qly qcc qcc ccc qcc qcc aca aca ccc ccc qly qly aca qly 812
120 glu cys val xaa val glu gly glu ala lle pro leu val leu ala leu
121 225 230 235
123 lly qcc lly qly qcc lly ala cly ala ccl qly gty gty cca arg lly 850
124 phe ala phe val gly phe met leu lle leu val val val pro leu phe
125 240 245 250
127 gty aca aca atg qcc ccc cly ccc ccc lac ccc lly ccc ccc gty qly 938
128 val trp lys met gly arg leu leu glu tyr ser cys cys pro val val
129 255 260 265

RECEIVED

JAN 10 2001

TECH CENTER 1600/2900

Please align amino
acids directly under
corresponding codon.

RAW SEQUENCE LISTING

DATE: 01/02/2001

PATENT APPLICATION: US/09/265,540C

TIME: 12:53:11

Input Seq: A:\804k.app

Output Seq: N:\CRF3\01022001\I265540C.raw

141 ggc ctc cca gac acc tta gaa ata tgc ggt tca ccc cag aag tta atc 986
142 Val Leu Pro Asp Thr Leu Lys Ile Thr Asn Ser Pro Gln Lys Leu Ile
143 270 275 300 305
145 ggc tgc aag aag ggg ggg ggg ggg ggg ggg ggg ggg ggg ggg ggg 1031
146 Ser Cys Arg Arg Gln Gln Val Asp Ala Cys Ala Thr Ala Val Met Ser
147 290 295 300
149 ggc ggc ggc ctc ctc ctc ggc ggc ggc ggc ggc ggc ggc ggc ggc 1084
140 Pro Gln Gln Leu Leu Arg Ala Trp Ile Ser
141 305 310
143 ggcggggggc ggcgggggc cgcgggggc ggcgggggc ggcgggggc ggcgggggc 1141
145 ggcgggggc ggcgggggc ggcgggggc ggcgggggc ggcgggggc ggcgggggc 1201
147 ggcgggggc ggcgggggc ggcgggggc ggcgggggc ggcgggggc ggcgggggc 1261
149 ggcgggggc ggcgggggc ggcgggggc ggcgggggc ggcgggggc ggcgggggc 1321
W--> 151 ggcgggggc ggcgggggc ggcgggggc ggcgggggc ggcgggggc ggcgggggc 1381
153 310 315 320 325 330 335
155 310 315 320 325 330 335
157 310 315 320 325 330 335
159 310 315 320 325 330 335
160 Met Gln Thr Phe Thr Met Val Leu Gln Gln Ile Trp Thr Ser Leu Phe
161 1 5 10 15
163 Met Trp Phe Phe Trp Ala Leu Ile Pro Lys Leu Leu Thr Asp Gln Val
164 20 25 30
166 Ala Ile Leu Pro Ala Pro Gln Asn Leu Ser Val Leu Ser Thr Asn Met
167 35 40 45
169 Lys His Leu Leu Met Trp Ser Pro Val Ile Ala Pro Gly Gln Thr Val
170 50 55 60
172 Tyr Tyr Ser Val Gln Tyr Gln Gly Gln Tyr Gln Ser Leu Tyr Thr Ser
173 65 70 75 80
175 His Ile Trp Ile Pro Ser Ser Trp Cys Ser Leu Thr Gln Gly Pro Gln
176 85 90 95
178 Cys Asp Val Thr Asp Asp Ile Thr Ala Thr Val Leu Tyr Leu Leu Arg
179 100 105 110
181 Val Arg Ala Thr Leu Gly Ser Gln Thr Ser Ala Trp Ser Ile Leu Lys
182 115 120 125
184 His Pro Phe Asn Arg Asn Ser Thr Ile Leu Thr Arg Pro Gly Met Gln
185 130 135 140
W--> 187 Ile Xaa Lys Xaa Gly Phe His Leu Val Ile Gln Leu Gln Asp Leu Gly
188 145 150 155 160
W--> 190 Pro Gln Phe Gln Thr Leu Val Ala Tyr Trp Xaa Arg Gln Pro Gly Ala
191 165 170 175
193 Gln Gln His Val Lys Met Val Arg Ser Gly Gly Ile Pro Val His Leu
194 180 185 190
196 Gln Thr Met Gln Pro Gly Ala Ala Tyr Cys Val Lys Ala Gln Thr Phe
197 195 200 205
W--> 199 Val Lys Ala Ile Gly Xaa Tyr Ser Ala Phe Ser Gln Thr Gln Cys Val
200 210 215 220
W--> 202 Xaa Val Gln Gly Gln Ala Ile Pro Leu Val Leu Ala Leu Phe Ala Phe
203 225 230 235 240

See item 10 on
Error Summary
Sheet

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/265,540C

DATE: 01/02/2001

TIME: 12:54:11

Input Seq: A:\804k.app

Output Seq: N:\CRF3\01022001\1265540C.raw

205 Val Gly Phe Met Leu Ile Leu Val Val Val Pro Leu Phe Val Trp Lys
206 245 250 255
208 Met Gly Arg Leu Leu Glu Tyr Ser Cys Cys Pro Val Val Val Leu Pro
209 260 265 270
211 Asp Phe Leu Lys Ile Thr Asn Ser Pro Glu Lys Leu Ile Ser Cys Arg
212 275 280 285
213 Arg Glu Glu Val Asp Ala Cys Ala Thr Ala Val Met Ser Pro Glu Glu
214 290 295 300
217 Leu Leu Arg Ala Trp Ile Ser
218 305 310
221 (210) SEQ ID NO: 3
222 (211) LENGTH: 1293
223 (212) TYPE: DNA
224 (213) ORGANISM: primata
225 (220) FEATURE:
227 (221) NAME/KEY: CDS
228 (222) LOCATION: (21)..(694)
230 (460) SEQUENCE: 3
231 C CCG GTC AAC CCA CGT GTC CGC CTG GTC TCC ACC TGG CTG AAC GTA CCG 40
232 Arg Val Asp Pro Arg Val Arg Leu Val Ser Pro Trp Leu Thr Val Pro
233 1 5 10 15
235 TGG TTT CTG TCC TGT TGG AAG GTC ACC ATT GGG CCG CCG GAG AGC ATC 97
236 Trp Phe Leu Ser Cys Trp Asn Val Thr Ile Gly Pro Pro Glu Ser Ile
237 20 25 30
239 TGG GTC ACG CCG GGG GAA ACC TCC CTC ATC ACC ACG TTT TCC TCC CCG 117
240 Trp Val Thr Pro Gly Glu Ala Ser Leu Ile Ile Arg Phe Ser Ser Pro
241 35 40 45
243 TTT GAG GTC CCG CCG AAC CTG GGC TAT TTT CAG TAC TAT GTC CCG TGG 153
244 Phe Asp Val Pro Pro Asn Leu Gly Tyr Phe Glu Tyr Tyr Val His Xaa
245 50 55 60
247 TGG GTC AAC GCG GGA ATC CAA AAG GTC AAG AAG CCG TTT AAG AGC AAG 211
248 Trp Glu Lys Ala Gly Ile Glu Lys Val Lys Gly Pro Phe Lys Ser Asn
249 65 70 75 80
251 CCG ATC GTC TTT GAT GGC CTG AAG CCG TCA AAG GAA TAC TGT TTA CAA 285
252 Ser Thr Val Leu Asp Gly Leu Arg Pro Leu Ala Glu Ter Cys Leu Glu
253 85 90 95
255 GTC AAG GCG CAG CCG TTT CCG CCA TCC TGC AAC ACC TCC AGC CCG GCG 317
256 Val Lys Ala His Leu Phe Arg Thr Ser Cys Asn Phe Ser Arg Pro Gly
257 100 105 110
259 GGC TTA AGC AAG ATA AAT TGC TAC GAA AAA ATG ATG GAT GGC ACG CCG 385
260 Arg Leu Ser Asn Ile Thr Cys Tyr Glu Thr Met Met Asp Ala Thr Thr
261 115 120 125
263 AAG CTT CAA CAA GGC ATC CCG ACC GCG GGT GGA GTC CTT CTG TCG CTG 453
264 Lys Leu Glu Glu Val Ile Leu Ile Ala Val Gly Val Phe Leu Ser Leu
265 130 135 140
267 GCG GCG CTG GCG GCG GCG TAT TTT TTT CTG GTC CTG AAG TAC AAG GCG 481
268 Ala Ala Leu Ala Gly Gly Cys Phe Phe Leu Val Leu Arg Tyr Lys Gly
269 145 150 155 160
271 CTG GTC AAC TAC TGG TTT CAG TCT GCG CCA AGC ATC CAA Leu CCA ATC 525

VERIFICATION SUMMARY

PATENT APPLICATION: US/09/265,540C

DATE: 01/20/2001

TIME: 13:53:42

Input Src: A:\804k.mpp

Output Src: N:\CRF3\01022001\I265540C.rnw

L:100 H:141 W: (46) "n" or "Xaa" used, for SEQ ID# 1
 L:100 H:141 W: (46) "n" or "Xaa" used, for SEQ ID# 1
 L:104 H:141 W: (46) "n" or "Xaa" used, for SEQ ID# 1
 L:116 H:141 W: (46) "n" or "Xaa" used, for SEQ ID# 1
 L:120 H:141 W: (46) "n" or "Xaa" used, for SEQ ID# 1
 L:151 H:141 W: (46) "n" or "Xaa" used, for SEQ ID# 1
 L:157 H:258 W: Mandatory Feature missing, +2202 not found for SEQ ID# 13
 L:167 H:258 W: Mandatory Feature missing, +2211 not found for SEQ ID# 13
 L:187 H:258 W: Mandatory Feature missing, +2228 not found for SEQ ID# 13
 L:187 H:258 W: Mandatory Feature missing, +2231 not found for SEQ ID# 13
 L:197 H:340 W: (46) "n" or "Xaa" used: Feature required, for SEQ ID# 12
 L:199 H:258 W: Mandatory Feature missing, +2208 not found for SEQ ID# 12
 L:199 H:258 W: Mandatory Feature missing, +2211 not found for SEQ ID# 13
 L:199 H:258 W: Mandatory Feature missing, +2228 not found for SEQ ID# 13
 L:199 H:258 W: Mandatory Feature missing, +2231 not found for SEQ ID# 13
 L:199 H:258 W: Mandatory Feature missing, +2202 not found for SEQ ID# 12
 L:199 H:258 W: Mandatory Feature missing, +2211 not found for SEQ ID# 12
 L:199 H:258 W: Mandatory Feature missing, +2228 not found for SEQ ID# 12
 L:199 H:258 W: Mandatory Feature missing, +2231 not found for SEQ ID# 12
 L:202 H:258 W: Mandatory Feature missing, +2202 not found for SEQ ID# 12
 L:202 H:258 W: Mandatory Feature missing, +2211 not found for SEQ ID# 12
 L:202 H:258 W: Mandatory Feature missing, +2228 not found for SEQ ID# 12
 L:202 H:258 W: Mandatory Feature missing, +2231 not found for SEQ ID# 12
 L:203 H:258 W: Mandatory Feature missing, +2202 not found for SEQ ID# 12
 L:203 H:258 W: Mandatory Feature missing, +2211 not found for SEQ ID# 12
 L:203 H:258 W: Mandatory Feature missing, +2228 not found for SEQ ID# 12
 L:203 H:258 W: Mandatory Feature missing, +2231 not found for SEQ ID# 12
 L:204 H:258 W: Mandatory Feature missing, +2211 not found for SEQ ID# 13
 L:214 H:340 W: (46) "n" or "Xaa" used: Feature required, for SEQ ID# 13
 L:125 H:258 W: Mandatory Feature missing, +2202 not found for SEQ ID# 14
 L:125 H:258 W: Mandatory Feature missing, +2211 not found for SEQ ID# 14
 L:125 H:258 W: Mandatory Feature missing, +2228 not found for SEQ ID# 14
 L:125 H:258 W: Mandatory Feature missing, +2231 not found for SEQ ID# 14
 L:125 H:340 W: (46) "n" or "Xaa" used: Feature required, for SEQ ID# 1

No
 X